

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	transaction adj proxy with (dynamic \$4 run\$time run adj time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L2	2	(reflection with (proxy stub interface) with (third\$party cots commercial adj2 shelf))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L3	3	dynamic adj3 (stub wrapper proxy) with transaction	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L4	3	dynamic\$3 adj3 (stub wrapper proxy) with transaction	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L5	3	(Dynamic\$6 with Generat\$3 with Wrapper with runtime)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L6	5	(Dynamic\$6 with Generat\$3 with (Wrap \$4 proxy) with extension)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L7	5	dynamic\$3 adj3 (stub wrapper proxy) and transaction with global	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L8	5	transaction adj proxy same (dynamic \$4 run\$time run adj time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36

L9	6	pre\$invocation adj handler	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L10	7	(dynamic\$6 with (proxy stub interface) with (commercial adj3 shelf))	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L11	7	(abstract super) near class same (adapt\$2 proxy wrapper) near (generat\$3 creat\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L12	9	dynamic adj3 proxy same transaction	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L13	11	dynamic adj3 (stub wrapper proxy) same transaction	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L14	11	dynamic\$3 adj3 (stub wrapper proxy) same transaction	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L15	13	(extension extend \$3) same (proxy wrapper) near (new) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L16	23	(vendor) same (bridge) near (generat\$3 creat\$3 new build\$3) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L17	22	(proxy stub wrapper interface) near2 (creat\$3 generat\$3) with (invok\$3 invocation) with handl\$3 and (remote adj2 (method procedure) rmi rpc)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36

L18	22	dynamic\$3 with (stub wrapper proxy) with transaction	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L19	26	(distribut\$4 same transaction same (proxy or stub or wrap\$4)).ab.	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L20	40	(extension extend \$3) same (bridge) near (generat\$3 creat\$3 new build \$3) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L21	40	(vendor third adj party commercial near\$3 shelf cot) same (bridge) near (generat\$3 creat\$3 new build\$3) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L22	43	(extension extend \$3) with (adapt\$2 proxy wrapper) near (generat\$3 creat\$3) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L23	46	(partition resource space) with (tree hierarch\$4) with configuration same dynamic\$6	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L24	44	java near2 reflect \$3 same (wrapper or proxy)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L25	46	(vendor or party) near object same (wrap\$4 or proxy)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L26	58	(java same reflect \$3 same (wrapper or proxy)) not (java near2 reflect\$3 same (wrapper or proxy))	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36

L27	106	(vendor third adj party commercial near2 shelf) with (adapt\$2 proxy wrapper) near (generat\$3 creat\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L28	109	(JDBC or JMS or connector) same (wrapper or proxy or interface) with (generat\$3 or creat\$3 or reflect\$3) with dynamic\$8	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L29	117	proxy same transaction same (format\$4 or encod\$4) same client same server	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L30	118	(java with reflection with dynamic\$6)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L31	124	(vendor or party) near object same (wrap\$4 or proxy or interface)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L32	125	(extension extend\$3) same (adapt\$2 proxy wrapper) near (generat\$3 creat\$3) and java	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L33	145	(proxy same transaction same (format\$4 or encod\$4) same (client or server)) not (proxy same transaction same (format\$4 or encod\$4) same client same server)	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L34	145	(wrapper proxy) with transaction with handl\$3	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L35	189	dynamic\$3 adj3 (stub wrapper proxy) and transaction	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36

L36	316	((proxy or stub or wrap\$4) with (map\$4 or conver\$6 or encod\$4 or decod\$4 or format\$4 or translat\$4) same (client or server)) same transaction	US-PCPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L37	597	(719/330).CCLS.	US-PCPUB; USPAT	OR	OFF	2008/10/15 13:36
L38	623	(717/108).CCLS.	US-PCPUB; USPAT	OR	OFF	2008/10/15 13:36
L39	682	(719/316).CCLS.	US-PCPUB; USPAT	OR	OFF	2008/10/15 13:36
L40	1133	(719/315).CCLS.	US-PCPUB; USPAT	OR	OFF	2008/10/15 13:36
L41	1611	(719/328).CCLS.	US-PCPUB; USPAT	OR	OFF	2008/10/15 13:36
L42	26	superclass with constructor with initializ\$6	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:36
L43	0	superclass with constructor with (parameter input) and (wrapper proxy stub) near2 (creat\$3 generat\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:40
L44	22	superclass with constructor and (wrapper proxy stub) near2 (creat\$3 generat\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:40
L45	2	superclass with constructor with hold\$3 and (wrapper proxy stub) near2 (creat\$3 generat\$3)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 13:42

10/15/08 1:42:34 PM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\10706515C.wsp